ORDINANCE NO. 2768 NEW SERIES

AN ORDINANCE OF THE COUNCIL OF THE CITY OF GLENDALE, MARICOPA COUNTY, ARIZONA, AUTHORIZING THE CITY MANAGER TO EXECUTE TWO EASEMENTS IN FAVOR OF SALT RIVER PROJECT FOR POWER DISTRIBUTION LINES INSTALLED AT CAMELBACK RANCH — GLENDALE; AND ORDERING THAT A CERTIFIED COPY OF THIS ORDINANCE ALONG WITH THE EASEMENTS BE RECORDED.

BE IT ORDAINED BY THE COUNCIL OF THE CITY OF GLENDALE as follows:

SECTION 1. That the City Council hereby approves the easements and all the terms and conditions thereto and directs that the City Manager for the City of Glendale execute said documents granting Salt River Project an easement upon, across, over and under the surface of certain properties located within existing City property, in the form attached hereto as exhibits. The legal descriptions are contained in the Easements.

SECTION 2. That the City hereby reserves the right to use the easement premises in any manner that will not prevent or interfere with the exercise by Salt River Project of the rights granted hereunder; provided, however, that the City shall not obstruct, or permit to be obstructed, the easement premises at any time whatsoever without the express prior written consent of Salt River Project.

SECTION 3. That the City Clerk be instructed and authorized to forward a certified copy of this ordinance along with the Easements for recording to the Maricopa County Recorder's Office.

PASSED, ADOPTED AND APPROVED by the Mayor and Council of the City of Glendale,

Maricopa County, Arizona, this 12th day of April, 2011.-

ATTEST

City Clerk

 1.10×7

APPROVED AS TO FORM

REVIEWED BY:

City Manager

WHEN RECORDED MAIL TO:

SALT RIVER PROJECT

Land Department/PAB400 P. O. Box 52025 Phoenix, Arizona 85072-2025

POWER DISTRIBUTION EASEMENT

Maricopa County Parcel # 102-59-022 SE ¼ Sec. 18, T.2N-R.1E (Lot 7, MCR 1020/39) Agt. MJM Job # KJB-09058 (pt **2** of **2**)

WMAN C CB

CITY OF GLENDALE, an Arizona municipal corporation,

hereinafter called Grantor, for and in consideration of the sum of One Dollar, and other valuable consideration, receipt of which is hereby acknowledged, does hereby grant and convey to SALT RIVER PROJECT AGRICULTURAL IMPROVEMENT AND POWER DISTRICT, an agricultural improvement district organized and existing under the laws of the State of Arizona, its agents, employees, contractors and permittees and its and their respective successors and assigns. hereinafter called the Grantee, a non-exclusive easement in, upon, over, under, across, through and along the lands hereinafter described (such lands hereinafter described being sometimes referred to herein as the "Easement Parcel") to construct, install, reconstruct, replace, remove, repair, operate and maintain underground electrical conductors, conduits, pipes, cables, vaults, pads, switching equipment, enclosures, manholes and transformers and all other appliances, appurtenances and fixtures (collectively "Facilities") for the transmission and distribution of electricity and for all other purposes connected therewith at such locations and elevations, in, upon, over, under, across, through and along the Easement Parcel as Grantee may now or hereafter deem convenient or necessary from time to time, together with the right of ingress and egress to, from, across and along the Grantor's Property. Grantee is hereby authorized to permit others to use the Easement Parcel for additional Facilities jointly with or separately from the Grantee for their purposes.

The lands in, upon, over, under, across, through and along which this easement is granted are situated in the County of Maricopa, State of Arizona, and are more particularly described as:

Grantor's Property:

Lot 7, "GLENDALE SPRING TRAINING COMPLEX", recorded in Book 1020 of Maps, page 39, records of Maricopa County, Arizona.

Easement Parcel:

Said easement being 8.00 feet in width, lying 4.00 feet on each side of the centerline (centerline of 8.00 foot easement) as delineated/depicted on the attached EXHIBIT "A", including equipment pad areas, if any, as prepared by Stanley Consultants, Inc., dated July 31, 2009, and by reference made a part hereof.

Except any part thereof lying outside of said Grantor's Lot 7 AND except any part thereof lying within a platted public utility easement (P.U.E.) as depicted and dedicated on the plat of "GLENDALE SPRING TRAINING COMPLEX", recorded in Book 1020 of Maps, page 39, records of Maricopa County, Arizona.

The sidelines of said easement to terminate on all respective lines of said Grantor's Lot 7.

This easement is for the electric backbone on said Lot 7 of the above-referenced SRP Job number.

THE REMAINDER OF THIS PAGE LEFT INTENTIONALLY BLANK

CAUTION: Facilities placed within the Easement Parcel may contain high voltage electrical equipment. Notice is hereby given that the location of underground electrical conductors or facilities must be verified as required by Arizona Revised Statutes, Section 40-360.21, et. seq., Arizona Blue Stake Law, prior to any excavation.

Grantor shall maintain a clear area that extends 3.00 feet from and around all edges of all transformer pads and other equipment pads, and a clear operational area that extends 12.00 feet immediately in front of all transformer and other equipment openings. No obstruction, trees, shrubs, fixtures or permanent structures shall be placed within said areas.

Grantor shall not construct, install or place, or permit to be constructed, installed or placed any building or other structure, plant any trees, drill any well, store materials of any kind, or alter ground level by cut or fill, within the area of the Easement Parcel.

Grantee shall have the right (but not the obligation) to trim, cut and clear away trees, brush or other vegetation on, the Easement Parcel whenever in its judgment the same shall be necessary for the convenient and safe exercise of the rights herein granted.


By accepting this easement, Grantee agrees to restore the surface of the Easement Parcel upon completion of the initial installation and any subsequent construction, reconstruction, repair or maintenance work that may be required.


In the event Grantee records a document to formally abandon the easement granted herein, all Grantee's rights hereunder shall cease, except the right to remove any and all property placed upon the Easement Parcel within a reasonable time subsequent to such abandonment.


The covenants and agreements herein set forth shall extend and inure in favor and to the benefit of and shall be binding on the heirs, administrators, executors, personal representatives, legal representatives, successors (including successors in ownership and estate), assigns and lessees of the Grantor and Grantee.

THE REMAINDER OF THIS PAGE LEFT INTENTIONALLY BLANK

, 2011.	
	CITY OF GLENDALE, an Arizona municipal corporation
APPROVED AS TO FORM	
By Craig Tindall, City Attorney	ByEd Beasley, City Manager
Craig Tindan, City Automey	Ext Beasley, City Wallager
Attest:	
Pamela Hanna, City Clerk	
STATE OF)	
STATE OF	
	and hafara ma this day of 2011 by
Ed Beasley and Pamela Hanna, City Manager	ged before me this day of, 2011, by and City Clerk, respectively, of THE CITY OF
GLENDALE, an Arizona municipal corporation of	of the State of Arizona.
My Commission Expires:	
	·
Nota	ry Public
Notary Stamp/Seal	







SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX NOTE SEE SHEETS 9 & 10 FOR LINE TABLES LOT 7 (BK.1020,PG.39,MCR) N.T.S. CITY OF GLENDALE (INST.#98-0197401,MCR) APN #102-59-022 ∆=16°53'10" R=732.58L=215.90'(R)EXP. 09/30/09 MATCHLINE SEE SHEET 1 _EGEND NOTE: SYMBOLS MAY NOT BE TO DRAWING SCALE. SO AS TO BETTER ENHANCE GRAPHICAL REPRESENTATION — = SECTION LINE = PROPERTY LINE = PROPOSED CENTERLINE OF 8' NOTE: THIS EXHIBIT IS INTENDED TO ELECTRIC EASEMENT ACCOMPANY AN EASEMENT. IT IS NOT A SURVEY AND SHOULD NOT = CENTERLINE BE CONSTRUED AS SUCH. CAUTION

EQUIPMENT PAD(S) ARE A PART OF THE **FASEMENT UNLESS OTHERWISE NOTED.**

THE EASEMENT LOCATION AS HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40-380.21, ET. SEQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

SCI JOB# 20930 SHEET 4 OF 10 DATE: 05-29-09



EXHIBIT

DETAIL "B"


SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

CITY OF GLENDALE

NOTE SEE SHEETS 9 & 10 FOR LINE TABLES (INST. #98-0197401, MCR)

LOT 7

(BK.1020,PG.39,MCR) APN #102-59-022



LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING SCALE. SO AS TO BETTER ENHANCE GRAPHICAL REPRESENTATION

- = SECTION LINE

= PROPERTY LINE

= PROPOSED CENTERLINE OF 8'

ELECTRIC EASEMENT

- = CENTERLINE

CAUTION

THE EASEMENT LOCATION AS HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40-380.21, ET. SEQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

SCI JOB# 20930 | SHEET 5 OF 10 | DATE: 05-29-09



EXP 09/30/09

NOTE: THIS EXHIBIT IS INTENDED TO ACCOMPANY AN EASEMENT.
IT IS NOT A SURVEY AND SHOULD NOT BE CONSTRUED AS SUCH.


EQUIPMENT PAD(S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.



1801 East Casselback Road Sales 430 Pitoents, Astorna 65016-4425 www.stanleygroup.com A Stanleygroup.com

EXHIBIT

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX



NOTE: THIS EXHIBIT IS INTENDED TO ACCOMPANY AN EASEMENT.

IT IS NOT A SURVEY AND SHOULD NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

CAUTION

= CENTERLINE

THE EASEMENT LOCATION AS HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GNEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40–380.21, ET. SEQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

SCI JOB# 20930

SHEET 6 OF 10

DATE: 05-29-09



1631 East Carvelback Rosel Suite 400 Piloseix, Alzona 85016-4425 www.stanleygroup.com A Stanley Group Company

Stenioy Group Company aghrening, Environmental and onatruction Services - Worldwide

DETAIL "F" SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX ANGLE POINT-<u>NOTE</u> #3 ON THE SEE SHEETS 9 & 10 WEST LINE OF FOR LINE TABLES LOT 7 S46"12'24"E 0.50'(C) ROW S46"12'24"E 50.00' ROW 0.50'(C) 1 OF GIENDA 198-0197401 3.00 **ANGLE** 84.000 P.C. 39.W.C. POINT #2 ON THË WEST LINE OF _OT 7 N.T.S. S43**°**47'36"W EGEND NOTE: SYMBOLS MAY NOT BE TO DRAWING SCALE. SO AS TO BETTER ENHANCE GRAPHICAL REPRESENTATION - = SECTION LINE EXP 09/30/09 = PROPERTY LINE = PROPOSED CENTERLINE OF 8' NOTE: THIS EXHIBIT IS INTENDED TO **ELECTRIC EASEMENT** ACCOMPANY AN EASEMENT. IT IS NOT A SURVEY AND SHOULD NOT = CENTERLINE BE CONSTRUED AS SUCH. CAUTION THE EASEMENT LOCATION AS HEREON DELINEATED MAY CONTAIN EQUIPMENT PAD(S) ARE A PART OF THE HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY EASEMENT UNLESS OTHERWISE NOTED. GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED

BY ARIZONA REVISED STATUTES, SECTION 40-380.21, ET. SEQ.,

SHEET 7 OF 10


DATE: 05-29-09

ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

SCI JOB# 20930

Stanley Consultants INC.

DETAIL "G"



SCI JOB# 20930

SHEET 8 OF 10

DATE: 05-29-09

Stanley Consultants INC.

EXHIBIT

LINE TABLES SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

r		
BO	DUNDARY / LINE	TABLE
NUMBER	DIRECTION	DISTANCE
L10	S 89°34'38" E	6.15'(R)
L11	S 43'58'29" W	16.13'(R)
L12	S 87'31'36" W	96.20'(R)
L13	N 2'28'24" W	6.00'(R)
L14	S 87'31'36" W	40.00'(R)
L15	S 74'19'8" W	26.26'(R)
L16	S 87'31'36" W	128.85'(R)
L17	N 78°26'10" W	82.47'(R)
L18	S 87'31'36" W	64.64'(R)
L19	N 53'48'49" W	21.73'(R)
L20	S 87'31'36" W	61.86'(R)
L21	S 48*52'1" W	21.73'(R)
L22	N 43*47'36" E	42.21'(R)
L23	S 46'12'24" E	13.01'(R)
L24	N 43°47'36" E	80.00'(R)
L25	N 46'12'24" W	4.09'(R)
L26	N 43'47'36" E	443.35'(R)
L27	N 4612'24" W	3.48'(R)
L28	N 43'47'6" E	80.00'(R)
L29	N 46°12'24" W	3.47'(R)
L30	N 43'47'36" E	491.97'(R)
L31	S 46"12'24" E	3.48'(R)
L32	N 43'48'54" E	62.70'(R)
L33	N 44*22'13" W	13.75'(R)
L34	N 89'30'9" E	127.99'(R)
L35	S 0'25'22" W	673.43'(R)
L36	S 87'30'56" W	7.01'(R)
L37	S 0'25'22" W	158.81'(R)
L38	N 89'34'38" W	15.00'(R)
L39	N 0°25'22" E	811.47'(R)
L40	S 87'33'56" W	20.02'(R)

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L61	S87'31'36"W	1132.03'(M)
L62	S87'31'36"W	3.50'(M)
L63	S87'31'36"W	455.23'(M)
L64	S87°31'36"W	3.50'(M)
L65	N02°28'24"W	3.00'(M)
L66	N02'28'24"W	0.50'(M)
L67	N87'31'36"E	3.50'(M)
L68	S02'28'24"E	0.50'(M)
L69	S02°28'24"E	3.00'(M)
L106	N43'47'36"E	39.05'(M)
L107	S46*12'24"E	13.01'(M)
L108	N43'47'36"E	86.00'(M)
L109	N46'12'24"W	4.09'(M)
L110	N43'47'36"E	49.78'(M)
L111	N43'47'36"E	6.33'(M)
L112	N43°47'36"E	3.00'(M)
L113	N43°47'36"E	6.33'(M)
L114	N43'47'36"E	284.34'(M)






1481 East Carralbuck Road State 400 Piscowsk, Adacena 85016-4425 www.staninggroup.com A Staning Group Company Engineering Environmental and Construction Services – Workheids

EXHIBIT

LINE TABLES SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L115	N43'47'36"E	6.33'(M)
L116	N46*12'24"W	2.50'(M)
L117	N46*12'24"W	1.67'(M)
L118	N43°47'36"E	6.33'(M)
L119	N46"12'24"W	1.67'(M)
L120	N46'12'24"W	2.50'(M)
L121	N43*47'36"E	6.33'(M)
L122	N46'12'24"W	2.50'(M)
L123	N46'12'24"W	1.67'(M)
L124	S43°47'36"W	6.33'(M)
L125	N46'12'24"W	1.67'(M)
L126	N46'12'24"W	2.50'(M)
L127	N43°47'36"E	3.50'(M)
L128	N43°47'36"E	84.08'(M)
L129	N43'47'36"E	3.50'(M)
L130	S46*12'24"E	2.50'(M)
L131	S46"12'24"E	1.00'(M)
L132	N43'47'36"E	3.50'(M)
L133	S46'12'24"E	1.00'(M)

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L134	S46'12'24"E	2.50'(M)
L135	S46'12'24"E	3.48'(M)
L136	N43'47'06"E	86.00'(M)
L137	N46°12'24"W	3.47'(M)
L138	N43'47'36"E	374.11'(M)
L139	N46"12'24"W	2.54'(M)
L140	N43'47'36"E	4.17'(M)
L141	S46°12'24"E	6.33'(M)
L142	S43'47'36"W	4.17'(M)
L143	N46"12'24"W	6.33'(M)
L144	N43°47'36"E	7.68'(M)
L145	N4612'24"W	2.54'(M)
L146	N43*47'36"E	4.17'(M)
L147	S46*12'24"E	6.33'(M)
L148	S43'47'36"W	4.17'(M)
L149	N4612'24"W	6.33'(M)
L150	N43°47'36"E	104.18'(M)
L151	S4612'24"E	3.48'(M)
L152	N43°48'54"E	65.60'(M)





1891 East Carnetheck Road Subs 400 Phoesis, Astoons 85016-4425 www.stantleggroup.com A Stantoy Group Company Engineering, Environmental and Construction Sandons - Worldwide

WHEN RECORDED MAIL TO:

SALT RIVER PROJECT

Land Department/PAB400 P. O. Box 52025 Phoenix, Arizona 85072-2025

POWER DISTRIBUTION EASEMENT

Maricopa County
Parcel # 102-59-022
SE ¼ Sec. 18, T.2N-R.1E
(Lot 7, MCR 1020/39)

Agt. MJM Job # KJB-09058 (pt **2** of **2**)

wingm c CB

CITY OF GLENDALE, an Arizona municipal corporation,

hereinafter called Grantor, for and in consideration of the sum of One Dollar, and other valuable consideration, receipt of which is hereby acknowledged, does hereby grant and convey to SALT RIVER PROJECT AGRICULTURAL IMPROVEMENT AND POWER DISTRICT, an agricultural improvement district organized and existing under the laws of the State of Arizona, its agents, employees, contractors and permittees and its and their respective successors and assigns, hereinafter called the Grantee, a non-exclusive easement in, upon, over, under, across, through and along the lands hereinafter described (such lands hereinafter described being sometimes referred to herein as the "Easement Parcel") to construct, install, reconstruct, replace, remove, repair, operate and maintain underground electrical conductors, conduits, pipes, cables, vaults, pads, switching equipment, enclosures, manholes and transformers and all other appliances, appurtenances and fixtures (collectively "Facilities") for the transmission and distribution of electricity and for all other purposes connected therewith at such locations and elevations, in, upon, over, under, across, through and along the Easement Parcel as Grantee may now or hereafter deem convenient or necessary from time to time, together with the right of ingress and egress to, from, across and along the Grantor's Property. Grantee is hereby authorized to permit others to use the Easement Parcel for additional Facilities jointly with or separately from the Grantee for their purposes.

The lands in, upon, over, under, across, through and along which this easement is granted are situated in the County of Maricopa, State of Arizona, and are more particularly described as:

Grantor's Property:

Lot 7, "GLENDALE SPRING TRAINING COMPLEX", recorded in Book 1020 of Maps, page 39, records of Maricopa County, Arizona.

Easement Parcel:

Said easement being 8.00 feet in width, lying 4.00 feet on each side of the centerline (centerline of 8.00 foot easement) as delineated/depicted on the attached EXHIBIT "A", including equipment pad areas, as prepared by Merestone Land Survey, dated November 19, 2009, and by reference made a part hereof.

Except any part thereof lying outside of said Grantor's Lot 7 AND except any part thereof lying within a platted public utility easement (P.U.E.) as depicted and dedicated on the plat of "GLENDALE SPRING TRAINING COMPLEX", recorded in Book 1020 of Maps, page 39, records of Maricopa County, Arizona.

The sidelines of said easement to terminate on all respective lines of said Grantor's Lot 7.

This easement is for the electric distribution within said lot 7 of the above-referenced SRP Job number.

THE REMAINDER OF THIS PAGE LEFT INTENTIONALLY BLANK

CAUTION: Facilities placed within the Easement Parcel may contain high voltage electrical equipment. Notice is hereby given that the location of underground electrical conductors or facilities must be verified as required by Arizona Revised Statutes, Section 40-360.21, et. seq., Arizona Blue Stake Law, prior to any excavation.

Grantor shall maintain a clear area that extends 3.00 feet from and around all edges of all transformer pads and other equipment pads, and a clear operational area that extends 12.00 feet immediately in front of all transformer and other equipment openings. No obstruction, trees, shrubs, fixtures or permanent structures shall be placed within said areas.

Grantor shall not construct, install or place, or permit to be constructed, installed or placed any building or other structure, plant any trees, drill any well, store materials of any kind, or alter ground level by cut or fill, within the area of the Easement Parcel.

Grantee shall have the right (but not the obligation) to trim, cut and clear away trees, brush or other vegetation on, the Easement Parcel whenever in its judgment the same shall be necessary for the convenient and safe exercise of the rights herein granted.


By accepting this easement, Grantee agrees to restore the surface of the Easement Parcel upon completion of the initial installation and any subsequent construction, reconstruction, repair or maintenance work that may be required.

In the event Grantee records a document to formally abandon the easement granted herein, all Grantee's rights hereunder shall cease, except the right to remove any and all property placed upon the Easement Parcel within a reasonable time subsequent to such abandonment.

The covenants and agreements herein set forth shall extend and inure in favor and to the benefit of and shall be binding on the heirs, administrators, executors, personal representatives, legal representatives, successors (including successors in ownership and estate), assigns and lessees of the Grantor and Grantee.

THE REMAINDER OF THIS PAGE LEFT INTENTIONALLY BLANK

	CITY OF GLENDALE, an Arizona municipal corporation, has by its duly authorized representative(s), this day or
	CITY OF GLENDALE, an Arizona municipal corporation
APPROVED AS TO FORM	
ByCraig Tindall, City Attorney	ByEd Beasley, City Manager
Claig Tildan, City Attorney	Eu Beasiey, City Manager
Attest:	
Pamela Hanna, City Clerk	
)) ss
COUNTY OF)
	acknowledged before me this day of, 2011, by ity Manager and City Clerk, respectively, of THE CITY OF corporation of the State of Arizona.
My Commission Expires:	
	Notary Public
Notary Stamp/Seal	
	from the real estate transfer fee and affidavit of legal value 1-1132 and 11-1133 pursuant to the exemptions set forth in (A)(3).



CAUTION:

THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES. SECTION 40-380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

NOTE:

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY **EASEMENT DOCUMENT.**

PROJ. NO. 07596 DWG. NO. 1 of 31

Glendale Spring Training Complex KJB-9058 SAP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE EXHIBIT "A"






EXHIBIT "A"

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

EXPIRES 03/31/2012

MACTH SHEET 1



MACTH SHEET 3

(R)

LEGEND

PROPERTY LINE

CAUTION: THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE (M) LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES. SECTION 40-380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

PROPOSED CENTERLINE OF 8' ELECTRIC EASEMENT BOOK 1020, PG. 39 M.C.R. MEASURED DATA

(C) CALCULATED DATA

NOTE: EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 2 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E EXHIBIT "A"



14820 N. CAVE CREEK RD. SUITE #8 PHOENIX, ARIZONA 85032 (602) 569–2000

S

MACTH SHEET




EXHIBIT "A"


SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

LEGEND

PROPERTY LINE PROPOSED CENTERLINE OF 8' ELECTRIC EASEMENT

- (R)
- BOOK 1020. PG. 39 M.C.R.
- (M)
- MEASURED DATA
- (C)
- CALCULATED DATA

MACTH SHEET 2



THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES.

SECTION 40-380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

NOTE:


EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. *07596* DWG. NO. 3 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E EXHIBIT "A"





PROJ. NO. 07596 DWG. NO. 4 of 31


Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE EXHIBIT "A"



FXHIBIT

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

MACTH SHEET 6



MACTH SHEET 4



EXPIRES 03/31/2012

CAUTION: THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES. SECTION 40-380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

LEGEND

PROPERTY LINE PROPOSED CENTERLINE OF 8'

ELECTRIC EASEMENT

- BOOK 1020, PG. 39 M.C.R. (R)
- MEASURED DATA (M)
- (C) CALCULATED DATA

NOTE:

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

07596 DWG. NO. 5 of 31

PROJ. NO. | Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.11 SE 1/4, SEC 18, T2N, R1E EXHIBIT 'A'



EXHIBIT "A"

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

GLENDALE SPRING TRAINING COMPLEX

(BK. 1020, PG. 39, MCR)

LOT 8



EAST 1/4 CORNER SECTION 18 FOUND 2 1/2" CITY OF PHOENIX BRASS CAP FLUSH T. 2 N. MACTH SHEET R. 1 E. L524 DETAIL: L SEE SHEET 12 CITY OF GLENDALE (INST.#98-0197401, M.C.R.) LOT 7 NTS (BK. 1020, PG. 39, M.C.R.) (APN# 102-59-022) DETAIL: P SEE SHEET 14

MACTH SHEET 5

LEGEND

CAUTION:

THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40–380.21, ET. SWQ., ARIZONA BLUE STAKE LAW. PRIOR TO ANY EXCAVATION.

PROPERTY LINE
PROPOSED CENTERLINE OF 8'
ELECTRIC EASEMENT
BOOK 1020. PG. 39 M.C.R.

- (R) BOOK 1020, PG. 39 M
- (M) MEASURED DATA
- (C) CALCULATED DATA

NOTE: EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO.

6 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E EXHIBIT "A"



EXHIBIT "A"

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

S89°34'38"E	6.15'(C)
S43°58'29"W	16.13'(C)
S87°31'36"W	96.20'(C)
N02°28'24"W	6.00'(C)
S87°31'36"W	40.00'(C)
S74°19'08"W	26.26'(C)
S87°31'36"W	128.85'(C)
N78°26'10"W	82.47'(C)
S87°31'36"W	64.64'(C)
N53°48'49"W	21.73'(C)
S87°31'36"W	61.86'(C)
S48'52'01"W	21.73'(C)
N43°47'36"E	42.21'(C)
S46°12'24"E	13.01'(C)
N43°47'36"E	80.00'(C)
N46'12'24"W	4.09'(C)
	S43*58'29"W S87*31'36"W N02*28'24"W S87*31'36"W S74*19'08"W S87*31'36"W N78*26'10"W S87*31'36"W N53*48'49"W S87*31'36"W S48*52'01"W N43*47'36"E S46*12'24"E N43*47'36"E

L26	N43°47'36"E	443.35'(C)
L27	N46°12'24"W	3.48'(C)
L28	N43°47'06"E	80.00'(C)
L29	N46°12'24"W	3.47'(C)
L30	N43'47'36"E	491.97'(C)
L31	S46°12'24"E	3.48'(C)
L32 _.	N43°48'54"E	62.70'(C)
L33	S44°22'13"E	13.75'(C)
L34	N89°30'09"E	127.99'(C)
L35	S00°25'22"W	673.43'(C)
L36	S87°30'56"W	7.01'(C)
L37	S00°25'22"W	158.81'(C)
L38	N89'34'38"W	15.00'(C)
L39	N00°25'22"E	811.47'(C)
L40	S87°33'56"W	20.02'(C)

THE BASIS OF BEARING IS SOUTH 00°25'22" WEST, BEING THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 18, T2N, R1E OF THE GILA & SALT RIVER MERIDIAN. MARICOPA COUNTY, ARIZONA.

THE COORDINATES IN THIS TABLE REPRESENT STATE PLANE COORDINATES (GRID) NAD 83 (EPOCH) 1992, ARIZONA CENTRAL ZONE (202) VALUES IN INTERNATIONAL FEET COMBINED WITH GRID FACTOR (CGF) VALUES.

POINT	NORTHING (Y)	EASTING (X)	DESCRIPTION	CGF
E 1/4 CORNER	915267.636	586217.741	COP BC FLUSH	1.00012985
SE CORNER	912632.559	586208.086	MCHD BCHH	1.00012992

PROJ. NO. 07596 DWG. NO.

7 of 31

Glendale Spring Training Complex KJB-9058 SAP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E EXHIBIT 'A'




ERESTONE 14820 N. CAVE CREEK RD. SUITE #8
ND SURVEY (602) 560-2000

GENE C.

EXPIRES 03/31/2012

"G" NORTH

SALT RIVER PROJECT FACILITIES - GLENDALE



CAUTION:

THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES. SECTION 40-380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

ELECTRIC EASEMENT

- (R) BOOK 1020, PG. 39 M.C.R.
- (M)MEASURED DATA
- (C) CALCULATED DATA
- S.E.S.

NOTE:

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 8 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL "G" NORTH



DETAIL "G" NORTH

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L30	N43°47'36"E 491.97'(C)	
L148	S43°58'31"W 4.17'(C)	
L149	N47°54'56"W 6.33'(C)	
L517	S80°16'19"E	36.00'(C)
L697	S43°58'31"W 2.09'(M)	
L698	S43*58'31"W	2.08'(M)



PROJ. NO. 07596 DWG. NO. 9 of 31 Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE DETAIL "Q" NORTH



DETAIL "K"

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

CUSTOMER EQUIPMENT



LOT 7

(BK.1020, PG.39, MCR) CITY OF GLENDALE (INST. #98-0197401, MCR)

LEGEND

- PROPOSED CENTERLINE OF 8'
ELECTRIC EASEMENT

- (R) BOOK 1020, PG. 39 M.C.R.
- (M) MEASURED DATA
- (C) CALCULATED DATA

 \Diamond S.E.S.

CAUTION:

THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40–380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

NOTE:

10.00'X10.00'

PROPOSED

EPAD

L630(M)

95(

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

L629

L196(C)

L198(C)

97

K

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 10 of 31 Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9:1N SE 1/4, SEC 18, T2N, R1E DETAIL "K"



14820 N. CAVE CREEK RD. SUITE #8 PHOENIX, ARIZONA 85032 (602) 569–2000

NTS

L628(M)

L631(M)

L632(M)

DETAIL "K"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L195	N00°19'46"E	10.00'(C)
L196	S88°53'34"E	10.00'(C)
L197	S0019'46"W	10.00'(C)
L198	N88°53'34"W	10.00'(C)
L522	S68°33'12"W	89.44'(M)
L523	S05°35'13"W	29.64'(M)
L603	N50°37'09"W	5.11'(M)
L628	N88°53'34"W	0.74'(M)
L629	N88°53'34"W	4.23'(M)
L630	N88°53'34"W	5.03'(M)
L631	S01°08'31"W	5.00'(M)
L632	S01°08'31"W	5.00'(M)




07596

DWG. NO. 11 of 31

PROJ. NO. | Clendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE DETAIL "K"





THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40–380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

NOTE:

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 12 of 31 Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE DETAIL "L"



DETAIL "L"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L203	N16°48'09"E	10.00'(C)
L204	S72°47'45"E	10.00'(C)
L205	S16°48'09"W	10.00'(C)
L206	N72°47'45"W	10.00'(C)
L522	S68°33'12"W	89.44'(M)
L524	S73°16'33"E	96.52'(M)
L525	S17°57'16"W	150.79'(M)
L526	S08°57'55"W	241.67'(M)
L604	S05°56'39"E	11.94'(M)
L635	S72°47'45"E	3.40'(M)
L636	S72°47'45"E	1.60'(M)
L637	S72°47'45"E	5.00'(M)
L638	N72°47'45"W	5.00'(M)
L639	N72°47'45"W	5.00'(M)



PROJ. NO. 07596 DWG. NO. 13 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, P1E DETAIL "L"




DETAIL "P"

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX



(BK.1020, PG.39, MCR) CITY OF GLENDALE (INST. #98-0197401, MCR)





NTS

LEGEND

PROPOSED CENTERLINE OF 8' FLECTRIC EASEMENT

BOOK 1020, PG. 39 M.C.R. (R)MEASURED DATA (M)

CALCULATED DATA (C)

S.E.S.

CAUTION:

THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES. SECTION 40-380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

NOTE:

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 14 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, P1E DETAIL "P"



14820 N. CAVE CREEK RD. PHOENIX. ARIZONA 85032

DETAIL "P"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L227	N43°30'52"W	8.00'(C)
L228	N47°25'22"E	8.00'(C)
L229	S43°30'52"E	8.00'(C)
L230	S47°25'22"W	8.00'(C)
L527.	S17*58'07"E	157.05'(M)



PROJ. NO. 07596 DWG. NO. 15 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE DETAIL "P"



ETAIL "E" SOUTH SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX LOT 7 J3/31/2012 PARK BLVD. NA6 12 24 W 0.50 (C) (BK.1020, PG.39, MCR) CITY OF GLENDALE 390.57(M) (INST. #98-0197401, MCR SEE STANLEYS SHEETS FOR PAD DETAILS. N46°12'24"W 4.17'(C) LEGEND NTS PROPOSED CENTERLINE OF 8' ELECTRIC EASEMENT (R)BOOK 1020, PG. 39 M.C.R. MEASURED DATA (M)(C) CALCULATED DATA S.E.S. CAUTION: THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE NOTE:

THE EASEMENT LOCATED HEREON DELINEATED
MAY CONTAIN HIGH VOLTAGE ELECTRICAL
EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE
LOCATION OF UNDERGROUND ELECTRICAL
CONDUCTORS OR FACILITIES MUST BE VERIFIED
AS REQUIRED BY ARIZONA REVISED STATUTES,
SECTION 40-380.21, ET. SWQ., ARIZONA BLUE
STAKE LAW, PRIOR TO ANY EXCAVATION.

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 16 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL "E" SOUTH



DETAIL "E" SOUTH

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**


SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L26	N43°47'36"E	443.35'(M)
L118	N43°47'36"E	6.33'(C)
L505	S50°18'35"E	139.23'(M)
L506	S39°50'24"W	270.04'(M)
L507	S37°27'30"E	125.64'(M)
L695	S43°47'36"W	3.17'(M)
L696	S43°47'36"W	3.16'(M)



PROJ. NO. 07596 DWG. NO. 17 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL "E" SOUTH





PROJ. NO. 07596 DWG. NO. 18 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, PIE DETAIL "N"




14820 N. CAVE CREEK RD SUITE #8 PHOENIX, ARIZONA 85032 (602) 569–2000

DETAIL "N"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L211	N04'31'58"W	10.00'(C)
L212	N85°56'29"E	10.00'(C)
L213	S04°31'58"E	10.00'(C)
L214	S85°56'29"W	10.00'(C)
L505	S50"18'35"E	139.23'(M)
L506	S39°50'24"E	270.04'(M)
L507	S37°27'30"E	125.64'(M)
L508	N09°36'59"W	286.08'(M)
L509	N81°56'31"E	164.05'(M)
L510	N81°56'31"E	66.39'(M)
L511	N82°41'55"E	110.70'(M)
L513	S19*30'05"E	180.99'(M)
L609	N65°07'19"E	10.64'(M)
L667	S04°26'42"E	7.41'(M)
L668	S04°26'42"E	2.59'(M)
L669	N85°25'12"E	4.72'(M)
L670	N85°25'12"E	5.28'(M)
L671	N04°26'42"W	3.53'(M)
L672	N04°26'42"W	6.47'(M)




PROJ. NO. 07596 DWG. NO. 19 of 31


Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE DETAIL "N"



DETAIL "T"

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX





LOT 7

(BK.1020, PG.39, MCR) CITY OF GLENDALE (INST. #98-0197401, MCR)

NTS

LEGEND

PROPOSED CENTERLINE OF 8' ELECTRIC EASEMENT

- (R) BOOK 1020, PG. 39 M.C.R.
- (M) MEASURED DATA
- (C) CALCULATED DATA



CAUTION:

THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40–380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

NOTE:

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 20 of 31

Olendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL "T"



14820 N. CAVE CREEK RD. SUITE #8 PHOENIX, ARIZONA 85032 (602) 569—2000

ETAIL "T"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**


SRP ELECTRIC / LINE TABLE		
SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L247	N04°36'30"W	10.00'(C)
L248	N84°35'22"E	10.00'(C)
L249	S04°36'30"E	10.00'(C)
L250	S84°35'22"W	10.00'(C)
L508	N09*36'59"W	286.08'(M)
L509	N81°56'31"E	164.05'(M)
L510	N81°56'31"E	66.39'(M)
L511	N82°41'55"E	110.70'(M)
L512	N89°53'21"E	13.46'(M)
L513	S19'30'05"E	180.99'(M)
L675	S04°36'30"E	5.69'(M)
L676	S04'36'30"E	4.31'(M)
L677	N04°36'30"W	2.73'(M)
L678	N04°36'30"W	7.27'(M)



07596 DWG. NO. 21 of 31

PROJ. NO. Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE DETAIL "T"





PROJ. NO. 07596 DWG. NO.

22 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL "U"




14820 N. CAVE CREEK RD. SUITE #8 PHOENIX, ARIZONA 85032 (602) 569-2000

DETAIL "U"

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L265	N00°14'43"E	8.00'(C)
L266	S89°51'18"E	8.00'(C)
L267	S00°14'43"W	8.00'(C)
L268	N89°51'18"W	8.00'(C)
L513	S19'30'05"E	180.99'(M)
L514	S09°29'09"W	155.36'(M)
L515	S14°27'04"E	283.29'(M)
L516	N47°17'43"W	18.39'(M)
L681	N89'51'18"W	5.46'(M)
L682	N89*51'18"W	2.54'(M)
L683	S00'14'43"W	4.96'(M)
L684	S00°14'43"W	3.04'(M)
L704	N26°26'14"W	71.69'(M)




PROJ. NO. 07596 DWG. NO. 23 of 31 Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL "U"



14820 N. CAVE CREEK RD. SUITE #8 PHOENIX, ARIZONA 85032 (602) 569–2000

DETAIL "Y1-Y2"

SALT RIVER PROJECT FACILITIES - GLENDALE SPRING TRAINING COMPLEX



CAUTION:

THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40-380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.

- (M)MEASURED DATA
- (C) CALCULATED DATA
 - S.E.S.

NOTE:

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 24 of 31

Glendale Spring Training Complex KJB-9058 SAP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL 'YI-Y2



14820 N. CAVE CREEK RD. SUITE #8 PHOENIX, ARIZONA 85032

DETAIL "Y1-Y2"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**


SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L34	N89°30'09"E	127.99'(C)
L35	S00°25'22"W	673.43'(C)
L529	S89°41'06"E	73.36'(M)
L531	S44'46'34"E	259.08'(M)
L606	S01°04'50"W	25.77'(M)
L607	S01°04'50"W	3.07'(M)
L656	S89°18'05"W	3.94'(M)
L657	S89°18'05"W	2.39'(M)
L658	N89°18'05"W	4.07'(M)
L659	N89°18'05"W	2.26'(M)
L660	S89°12'14"W	4.04'(M)
L661	S89°12'14"W	2.15'(M)



PROJ. NO. 07596 DWG. NO. 25 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL "Y1-Y2"





PROJ. NO. 07596 DWG. NO. 26 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.IN SE 1/4, SEC 18, T2N, R1E DETAIL "R"



14820 N. CAVE CREEK RD. SUITE #8 PHOENIX, ARIZONA 85032 (602) 569–2000

DETAIL "R"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L239	N55'57'10"E	10.00'(C)
L240	S34°00'50"E	10.00'(C)
L241	S55*57'10"W	10.00'(C)
L242	N34°00'50"W	10.00'(C)
L536	S10°48'57"E	64.43'(M)
L537	S30°39'35"W	56.70'(M)
L538	S47°54'19"W	25.98'(M)
L650	S55°57'10"W	0.58'(M)
L651	S55*57'10"W	9.42'(M)
L652	S33°06'26"E	5.00'(M)
L653	S33'06'26"E	5.00'(M)




PROJ. NO. 07596 DWG. NO. 27 .of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE DETAIL "R"



SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**



LEGEND

PROPOSED CENTERLINE OF 8' ELECTRIC EASEMENT


- (R) BOOK 1020, PG. 39 M.C.R.
- (M)MEASURED DATA
- (C) CALCULATED DATA
 - S.E.S.

LOT 7

(BK.1020, PG.39, MCR) CITY OF GLENDALE (INST. #98-0197401, MCR)

CAUTION:

THE EASEMENT LOCATED HEREON DELINEATED MAY CONTAIN HIGH VOLTAGE ELECTRICAL EQUIPMENT. NOTICE IS HEREBY GIVEN THAT THE LOCATION OF UNDERGROUND ELECTRICAL CONDUCTORS OR FACILITIES MUST BE VERIFIED AS REQUIRED BY ARIZONA REVISED STATUTES, SECTION 40-380.21, ET. SWQ., ARIZONA BLUE STAKE LAW, PRIOR TO ANY EXCAVATION.



NOTE:

EQUIPMENT PAD (S) ARE A PART OF THE EASEMENT UNLESS OTHERWISE NOTED.

THIS EXHIBIT IS INTENDED TO ACCOMPANY EASEMENT DOCUMENT.

PROJ. NO. 07596 DWG. NO. 28 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, F1E DETAIL "O"



14820 N. CAVE CREEK RD. PHOENIX, ARIZONA 85032

DETAIL "O"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**

SRP ELECTRIC / LINE TABLE		
NUMBER	DIRECTION	DISTANCE
L235	N33°33'40"E	8.00'(C)
L236	S56°19'27"E	8.00'(C)
L237	S33°33'40"W	8.00'(C)
L238	N56°19'27"W	8.00'(C)
L533	N43*44'52"W	163.90'(M)
L534	N42°32'38"W	111.58'(M)
L 535	N23'30'22"W	70.36'(M)
L605	S22°01'17"W	11.92'(M)
L648	S34°07'10"W	6.59'(M)
L649	S34°07'10"W	1.41'(M)
L693	S56°19'27"E	4.48'(M)
L694	S56°19'27"E	3.52'(M)




PROJ. NO. 07596 DWG. NO.

29 of 31

Glendale Spring Training Complex KJB-9058 SAP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, R1E DETAIL "Q"





DETAIL "W"

SALT RIVER PROJECT FACILITIES - GLENDALE **SPRING TRAINING COMPLEX**

N03'06'07"W	10.00'(C)
N87°50'55"E	10.00'(C)
S03°06'07"E	10.00'(C)
S87 ° 50'55"W	10.00'(C)
N00°12'59"W	172.33'(M)
S48"18'24"E	65.65'(M)
N73°30'01"E	84.03'(M)
S86*45'58"W	2.19'(M)
S86 ' 45'58"W	7.81'(M)
S02*46'26"E	4.13'(M)
S02 · 46'26"E	5.87'(M)
	N87°50'55"E S03°06'07"E S87°50'55"W N00°12'59"W S48°18'24"E N73°30'01"E S86°45'58"W S86°45'58"W S02°46'26"E



PROJ. NO. 07596 DWG. NO. 31 of 31

Glendale Spring Training Complex KJB-9058 SRP COORDINATES 0.6N-9.1N SE 1/4, SEC 18, T2N, RIE DETAIL "W"

